

PEER-REVIEWED LITERATURE
in Selected Rehabilitation Topics

Prepared by
Frank W. Reichenbacher
Bio-Concepts, Inc.

May 2001

Sorted by First Author, Last Name

Agris J A pressure support garment for suction-assisted lipectomy [letter]. *Plast Reconstr Surg* 1984 Apr

Ahn ST, Monafó WW, Mustoe TA. Topical silicone gel: A new treatment for hypertrophic scars. *Surgery* 1989 10:781-787.

Ause-Ellias KL, et al The effect of mechanical compression on chronic hand edema after burn injury: a preliminary report. *J Burn Care Rehab* 1994 Jan-Feb

Bennison J. Lymphedema: Patho-physiologic and clinical concepts. *Angiology* 1975 26:661-6764.

Beranek JT. Silicone gel sheeting for the management of hypertrophic and keloid scars: the mechanism of its action. *Dermatol Surg* 1997 23:401-405.

Bruster JM, Pullium G. Gradient pressure. *Am J Occup Ther* 1983 37:485-488.

Cain, V.J., McMahon, L.R., O'Donnell, F.J., Rowland, S.M., Costa, B.A., Moore, M.L., Engrav, L.H., Heimbach, D.M., Gibran, N.S. Effectiveness of a silicone adherent dressing on post-burn and other traumatic scars. ABSTRACT. *J Burn Care Rehab* 22:S45.

Carney SA, Cason CG, Gowar JP, Stevenson JH, McNee J, Groves ATR, Thomas SS, Hart NB, Auclair P. Cica-Care gel sheeting in the management of hypertrophic scarring. *Burns* 1994 20:163-167.

Carrougher, GJ, ed. *Burn Care and Therapy*. Mosby, St. Louis, Missouri, 1998, 496 p.

Chang P, Laubenthal KN, Lewis RW 2nd, Rosenquist MD, Lindley-Smith P, Kealey GP. Prospective, randomized study of the efficacy of pressure garment therapy in patients with burns. *J Burn Care Rehab* 1995 16:473-475.

Chen CY, Hoe AL, Wong CY. The effect of a pressure garment on post-surgical drainage and seroma formation in breast cancer patients. *Singapore Med J*. 1998 39:412-415.

Cheng JCY, Evans JH, Leung KS, Clark JA, Choy TTC, Leung PC. Pressure therapy in the treatment of post-burn hypertrophic scar - A critical look into its usefulness and fallacies by pressure monitoring. *Burns* 1984 10:154-163.

Cheng S, et al Outcome studies for burn patients in Hong Kong: patients' satisfaction. *Burns* 1996 Dec

Cheng W, Saing H, Zhou H, Han Y, Peh W, Tam PK. Ultrasound assessment of scald scars in Asian children receiving pressure garment therapy. *J Pediatr Surg*. 2001 36:466-469.

Clarke AM. Burns in childhood. *World J Surg* 1978 2:175-183.

- Clugston PA, Vistnes MD, Perry LC, Maxwell GP, Fisher J. Evaluation of silicone-gel sheeting on early wound healing of linear incisions. *Ann Plast Surg* 1995 34:12-15.
- Collins CD, Mortimer PS, D'Ettore H, A'Hern RPA, Moskovic EC. Computed tomography in the assessment of response to limb compression in unilateral lymphoedema. *Clin Radiol* 1995 50:541-544.
- Dantzer E, Dias Garson MT, Queruel P. [Device of the burnt face. Role of compression and splints]. *Ann Chir Plast Esthet*. 1995 40:293-301. French.
- Denton BG, Shaw SE. Mouth conformer for prevention and correction of burn scar contracture. *Phys Therapy* 1976 56:683-686.
- Ferguson-Pell M, Hagsiawa S, Bain D. Evaluation of a sensor for low interface pressure applications. *Med Eng Phys*. 2000 22:657-663.
- Finnie A. Interface pressure measurements in leg ulcer management. *Br J Nurs*. 2000 9:S8-10, S12, S14 passim. Review.
- Fricke, N.B., Omnell, M.L., Dutcher, K.A., L.G. Hollender, Odont, L.H. Engrav. Skeletal and dental disturbances in children after facial burns and pressure garment use: a 4-year follow-up. *J Burn Care Rehab* 1999 20:239-249.
- Fulton JE. Silicone gel sheeting for the prevention and management of evolving hypertrophic and keloid scars. *Dermat Surg* 1995 21:947-951.
- Gallagher JM, Kaplan S, Maguire GH, Leman CJ, Johnson P, Elbaum L. Compliance and durability in pressure garments. *J Burn Care Rehabil*. 1992 13:239-243.
- Gandhi DB, Palmar JR, Lewis B, Schraibman IG. Clinical comparison of elastic supports for venous diseases of the lower limb. *Postgrad Med J* 1984 60:349-352.
- Garcia-Velasco M., Ley R., Mutch D., Surkes N., Williams H.B. Compression treatment of hypertrophic scars in burned children. *Can J Surg* 1978 21:450-452.
- Gibbons M, Zuker R, Brown M, Candlish S, Snider L, Zimmer P. Experience with silastic gel sheeting in pediatric scarring. *J Burn Care Rehab* 1994 15:69-73.
- Giele H, Liddiard K, Booth K, Wood F. Anatomical variations in pressures generated by pressure garments. *Plast Reconstr Surg*. 1998 101:399-406 discussion 407.
- Giele HP, Liddiard K, Currie K, Wood FM. Direct measurement of cutaneous pressures generated by pressure garments. *Burns* 1997 23:137-141.
- Groce, A., Herndon, D.N., McCauley, R.L., Chinkes, D., The effects of pressure versus no pressure garments in the control of hypertrophic scarring in children with small burn: a preliminary 6 month report. ABSTRACT. *J Burn Care Rehab* 21:S178.
- Groce, A., McCauley, R.L., Meyers-Paal, R., Herndon, D.N., Chinkes, D. The effects of high versus low pressure garments in the control of hypertrophic scars in the burned child: a preliminary 6 month report. ABSTRACT. *J Burn Care Rehab* 21:S177.
- Groce, A., McCauley, R.L., Serghiou, M., Chinkes, D., Herndon, D.N. The effects of high versus low pressure garments in the control of hypertrophic scar in the burned child: a final report. ABSTRACT. *J Burn Care Rehab* 22:S145.

- Groce, A., Meyers-Paal, R., Herndon, D.N., McCauley, R.L. Are your thoughts of facial pressure transparent? *J Burn Care Rehab* 20:478-481.
- Habal NR. The biologic basis for the clinical application of the silicones. *Arch Surg* 1984 119:843-848.
- Hambleton J, et al The progress of hypertrophic scars monitored by ultrasound measurements of thickness. *Burns* 1992 Aug
- Hambleton J, Shakespeare PG, Pratt BJ. The progress of hypertrophic scars monitored by ultrasound measurements of thickness. *Burns*. 1992 18:301-307.
- Haq MA, Haq A. Pressure therapy in treatment of hypertrophic scar, burn contracture and keloid: the Kenyan experience. *East Afri Med J* 1990 67:785-793.
- Harries CA, et al Measuring pressure under burns pressure garments using the Oxford Pressure Monitor. *Burns* 1989 15:187-189.
- Hayes-Lundy C, Ward RS, Saffle JR, Reddy R, Warden GD. Grease burns at fast-food restaurants: adolescents at risk. *J Burn Care Rehab* 1991 12:203-208.
- Heath K Contact media approach to burn scar management. *Aust Fam Physician* 1995 Feb
- Hirshowitz B, Ullmann Y, Har-Shai Y, Vilenski A, Peled IJ. Silicone occlusive sheeting SOS in the management of hypertrophic and keloid scarring, including the possible mode of action of silicone, by static electricity. *Eur J Plast Surg* 1993 16:5-9.
- Hurren JS. Rehabilitation of the burned patient: James Laing Memorial Essay for 1993. *Burns* 1995 21:116-126.
- Hutchin KC. Pressure garments prevent heavy scarring. *Nurs J India*. 1985 76:257-258.
- Johnson J, Greenspan B, Gorga D, Nagler W, Goodwin C. Compliance with pressure garment use in burn Rehabilitation. *J Burn Care Rehab* 1994 15:181-188.
- Katz BE. Silicone gel sheeting in scar therapy. *Therap Clinic* 1995 56:65-67
- Kavanagh GM, Page P, Hanna MM. Silicone gel treatment of extensive hypertrophic scarring following toxic epidermal necrolysis. *Br J Dermatol* 1994 130:540-541.
- Kealey GP, et al Prospective randomized comparison of two types of pressure therapy garments. *J Burn Care Rehab* 1990 11:334-336.
- Kischer C W, Shetlar MR, Shetlar CL. Alteration of hypertrophic scars induced by mechanical pressure. *Arch Dermatol* 1975 111:60-64.
- Knothe, B., Merkel, J.L., Rawlings, L.S.M., Hensell, D.O., Hughes, W.B. Alternative silicone gel sheeting application methods to improve burn scar outcome. *ABSTRACT J Burn Care Rehab* 22:S141.
- Lee SM, Ngim CK, Chan YY, Ho MJ. A comparison of Sil-K and Epiderm in scar management. *Burns* 22:483-487.
- Leshaw SM. Silicone use in keloids. *West J Med* 1994 160:363-364.
- Linares HA, Larson DL, Willis-Galstaun. Historical notes on the use of pressure in the treatment of hypertrophic scars or keloids. *Burns* 1993 19:17-21.

- Mann R, Yeong EK, Moore M, Colescott D, Engrav LH. Do custom-fitted pressure garments provide adequate pressure? *J Burn Care Rehabil.* 1997 18:247-249.
- Mann R, Yeong EK, Moore ML, Engrav LH. A new tool to measure pressure under burn garments. *J Burn Care Rehab* 1997 18:160-163.
- McLean NR, et al A simple device to encourage the unwilling child to wear a pressure garment. *Br J Plast Surg*, 1983 Oct
- McLean NR, Warren E. A simple device to encourage the unwilling child to wear a pressure garment. *Br J Plast Surg.* 1983 36:529-530.
- Mirolo BR, Bunce IH, Chapman M, Olsen T, Eliadis P, Hennessey JM, Ward LC, Jones LC. Psychosocial benefits of postmastectomy lymphedema therapy. *Cancer Nurs* 1995 18:197-205.
- Moore, M.L., Engrav, L.H., Calderon, J., Lezotte, D., Ehde, D.M., Heimbach, D.M., Gibran, N.S. Effectiveness of custom pressure garments in wound management: a prospective trial within wounds and with verified pressure. ABSTRACT. *J Burn Care Rehab* 21:S177.
- Mortimer PS. Therapy approaches for lymphedema. *Angiology* 1997 48:87-91.
- Musgrave, M.A., Cartotto, R.C., Fish, J.S., Gomez, M., Umraw, N. The effect of silicone gel sheets on perfusion of hypertrophic burn scars. ABSTRACT. *J Burn Care Rehab* 22:S45.
- Neely AN. A survey of gram-negative bacteria survival on hospital fabrics and plastics. *J Burn Care Rehabil.* 2000 21:523-527.
- Newmeyer WL, Kilgore ES. Management of the burned hand. *Phys Ther* 1977 57:16-23.
- Ng CL, Lee ST, Wong KL. Pressure garments in the prevention and treatment of keloids. *Ann Acad Med Singapore.* 1983 12:430-435.
- Niessen FB. The effectiveness of silicone sheets in the prevention of hypertrophic breast scars. *Ann Plast Surg* 1997 38:547.
- Palmieri, T.L., Kayden D., Greenhalgh, D. The effect of medical insurance coverage on the obtainment of pressure. *J Burn Care Rehab* 2000 21:414-416
- Patiño, O., Novick, C., Merlo, A., Benaim, F. Massage in hypertrophic scars. *J Burn Care Rehab* 1999 20:268-271.
- Perkins K, Davey RB, Wallis K. Current materials and techniques used in a burn scar management programme. *Burns Incl Therm Inj.* 1987 13:406-410.
- Phillips TJ, Gerstein AD, Lordan V. A randomized controlled trial of hydrocolloid dressing in the treatment of hypertrophic scars and keloids. *Dermatol Surg* 1996 22:775-778.
- Reiffel RS. Prevention of hypertrophic scars by long-term paper tape application. *Plast Reconst Surg* 1995 96:1715-1718.
- Richard RL Easy application of Silastic elastomer. Suggestion from the field. *Phys Ther* 1984 Jul
- Richard RL, et al Comparison of the effect of passive exercise v static wrapping on finger range of motion in the burned hand. *J Burn Care Rehab* 1987 Nov-Dec

- Richard, RL, Staley MJ, eds. *Burn Care and Rehabilitation: Principles and Practice*. F.A. Davis, Philadelphia, 1994, 711 p.
- Ricketts CH, Martin L, Faria DT, Saed GM, Fivenson DP. Cytokine mRNA changes during the treatment of hypertrophic scars with silicone and nonsilicone gel dressing. *Dermatol Surg* 1996 22:955-959.
- Rosser, P. Adherence to pressure garment therapy of post-traumatic burn injury. ABSTRACT. *J Burn Care Rehab* 21:S178.
- Rutan RL. Management of perineal and genital burns. *J ET Nurs*. 1993 20:169-176.
- Ryan CM, Schoenfeld DA, Thorpe WP, Sheridan RL, Cassem EH, Tompkins RG. Objective estimates of the probability of death from burn injuries. *New England J Med* 1998 338:362-388.
- Sawada Y. Pressure developed under pressure garment. *Br J Plast Surg*, 1993 46:538-541.
- Sawada Y, Yotsuyanagi T. Prevention of dressing slippage under an elastic bandage. *Burns* 1992 18:241-242.
- Schlesinger SL, Kaczynski AJ. Use of Reston foam in liposuction. *Aesthetic Plast Surg*. 1993 17:49-51.
- Schnebly WA, et al. A nonsplinting approach to the care of the thermally injured patient. *J Burn Care Rehab* 1989 May-Jun
- Schraibman IG, et al. Clinical comparison of elastic supports for venous diseases of the lower limb and thrombosis prevention. *Phlebologie*, 1982 Jan-Mar
- Schwanholt CA, et al. A prospective study of burn scar maturation in pediatrics: does age matter? *J Burn Care Rehab* 1994 Sep-Oct
- Sheps SG. Use of an elastic garment in the treatment of orthostatic hypotension. *Cardiology* 1976
- Staley M, et al. Critical pathways to enhance the Rehabilitation of patients with burns. *J Burn Care Rehab* 1996 Nov-Dec
- Staley M, et al. Functional outcomes for the patient with burn injuries. *J Burn Care Rehab* 1996 Jul-Aug
- Staley M, et al. Head/face/neck burns: therapist considerations for the pediatric patient. *J Burn Care Rehab* 1997 Mar-Apr
- Staley M, et al. Management of the acute burn wound: an overview. *Adv Wound Care* 1997 Mar-Apr
- Staley M, et al. The elderly patient with burns: treatment considerations. *J Burn Care Rehab* 1993 Sep-Oct
- Staley MJ, Richard RL. Use of pressure to treat hypertrophic burn scars. *Adv Wound Care* 1997 10:44-46.
- Stewart R, Bhagwanjee AM, Mbakaza Y, Binase T. Pressure garment adherence in adult patients with burn injuries: an analysis of patient and clinician perceptions. *Am J Occup Ther*. 2000 54:598-606.
- Still J, Law E, Orlet HK, Frye K, Luterman A, Pickens H, Minor PS. An unusual mechanism of burn injury due to flaming drinks. *Am Surg*. 1997 63:252-254.
- Tang, X.X. [Pressure garment for the prevention and correction of hypertrophic burn scars]. *Zhonghua Zheng Xing Shao Shang Wai Ke Za Zhi*. 1986 2:267-269. Chinese.

- Thompson R, Summers S, Rampey-Dobbs R, Wheeler T. Color pressure garments versus traditional beige pressure garments: Perceptions from the public. *J Burn Care Rehab* 1992 13:590-596.
- Torring S. Our routine in pressure treatment of hypertrophic scars. *Scand J Plast Reconstr Surg*. 1984 18:135-137.
- Underwood RA. Pressure garments in the treatment of burns. *Proc Mine Med Off Assoc SA*. 1978 57:64.
- van Straten O, Mahler D. Pressure garments in the control of hypertrophic scarring and rehabilitation of the burn patient: an occupational therapy approach. *Isr J Med Sci*. 1984 20:320-322.
- Van Straten O, Sagi A, Mahler D. [Rehabilitation of burn patients using pressure garments]. *Harefuah*. 1985 15:477-479. Hebrew.
- Veraart JCJM, Pronk G, Neumann HAM. Pressure differences of elastic compression stockings at the ankle region. *Dermatol Surg* 1997 23:935-939.
- Vinckx L, et al Analysis of the pressure perturbation due to the introduction of a measuring probe under an elastic garment. *Med Biol Eng Comput* 1990 Mar
- Ward RS Pressure therapy for the control of hypertrophic scar formation after burn injury. A history and review. *J Burn Care Rehab* 1991 May-Jun
- Ward RS Reasons for the selection of burn-scar-support suppliers by burn centers in the United States: a survey. *J Burn Care Rehab* 1993 14:360-367.
- Ward RS, et al A technique for control of hypertrophic scarring in the central region of the face. *J Burn Care Rehab* 1991 May-Jun
- Ward RS, et al Evaluation of topical therapeutic ultrasound to improve response to physical therapy and lessen scar contracture after burn injury. *J Burn Care Rehab* 1994 Jan-Feb
- Ward RS, et al Influence of pressure supports on joint range of motion. *Burns* 1992 Feb
- Ward RS, et al Rehabilitation of burn patients with concomitant limb amputation: case reports. *Burns* 1990 Oct
- Ward RS, et al Topical agents in burn and wound care. *Phys Ther* 1995 Jun
- Ward RS, et al Use of positive plaster impressions to facilitate measurement of anti-burn scar support gloves for severely burned hands. *J Burn Care Rehab* 1989 Jul-Aug
- Ward RS, Hayes-Lundy C, Reddy R, Brockway C, Mills P. Influence of pressure supports on joint range of motion. *Burns*. 1992 18:60-62.
- Ward RS, Reddy R, Brockway C, Hayes-Lundy C, Mills P. Uses of Coban self-adherent wrap in management of postburn hand grafts: case reports. *J Burn Care Rehab* 1994 15:364-369.
- Ward RS, Reddy R, Hayes-Lundy C, Brockway C, Saffle JR, Schnebly WA. A technique for control of hypertrophic scarring in the central region of the face. *J Burn Care Rehab* 1991 12:263-267.
- Whitaker J, Lamberty BG. Pressure garments in the treatment of axillary burns contracture. *Physiotherapy*. 1981 67:5-7.

Whitstone JJ, et al Fabrication of total-contact burn masks by use of human body topography and computer-aided design and manufacturing. *J Burn Care Rehab* 1995 Sep-Oct

Williams F, Knapp D, Wallen M. Comparison of the characteristics and features of pressure garments used in the management of burn scars. *Burns*. 1998 24:329-335.

Wood F, Liddiard K, Skinner A, Ballentyne J. Scar management of cultured epithelial autograft. *Burns* 1996 22:451-454.

Zawacki BE Letter: Treatment of extensive burns. *N Engl J Med* 1974 Apr 11