

**PEER-REVIEWED LITERATURE**  
*in Selected Rehabilitation Topics*

Prepared by  
Frank W. Reichenbacher  
Bio-Concepts, Inc.

May 2001

Sorted by Subject

**BOOKS**

Carrougher, GJ, ed. Burn Care and Therapy. Mosby, St. Louis, Missouri, 1998, 496 p.

Richard, RL, Staley MJ, eds. Burn Care and Rehabilitation: Principles and Practice. F.A. Davis, Philadelphia, 1994, 711 p.

**JOURNALS**

Journal of Burn Care and Rehabilitation, Mosby Periodicals, St. Louis, Missouri, 6 issues.

Burns: the Journal of the International Society for Burn Injuries. Elsevier, Oxford, 8 issues.

**ARTICLES**

**Burns**

Hambleton J, Shakespeare PG, Pratt BJ. The progress of hypertrophic scars monitored by ultrasound measurements of thickness. Burns. 1992 18:301-307.

Hayes-Lundy C, Ward RS, Saffle JR, Reddy R, Warden GD. Grease burns at fast-food restaurants: adolescents at risk. J Burn Care Rehab 1991 12:203-208.

Neely AN. A survey of gram-negative bacteria survival on hospital fabrics and plastics. J Burn Care Rehabil. 2000 21:523-527.

Rutan RL. Management of perineal and genital burns. J ET Nurs. 1993 20:169-176.

Ryan CM, Schoenfeld DA, Thorpe WP, Sheridan RL, Cassem EH, Tompkins RG. Objective estimates of the probability of death from burn injuries. New England J Med 1998 338:362-388.

Sawada Y, Yotsuyanagi T. Prevention of dressing slippage under an elastic bandage. Burns 1992 18:241-242.

Schnebly WA, et al A nonsplinting approach to the care of the thermally injured patient. J Burn Care Rehab 1989 May-Jun

Staley M, et al Management of the acute burn wound: an overview. Adv Wound Care 1997 Mar-Apr

Staley M, et al The elderly patient with burns: treatment considerations. J Burn Care Rehab 1993 Sep-Oct

Still J, Law E, Orlet HK, Frye K, Luterman A, Pickens H, Minor PS. An unusual mechanism of burn injury due to flaming drinks. Am Surg. 1997 63:252-254.

Zawacki BE Letter: Treatment of extensive burns. N Engl J Med 1974 Apr 11

## General Burn Rehabilitation

Ause-Ellias KL, et al The effect of mechanical compression on chronic hand edema after burn injury: a preliminary report. *J Burn Care Rehab* 1994 Jan-Feb

Cheng S, et al Outcome studies for burn patients in Hong Kong: patients' satisfaction. *Burns* 1996 Dec

Dantzer E, Dias Garson MT, Queruel P. [Device of the burnt face. Role of compression and splints]. *Ann Chir Plast Esthet.* 1995 40:293-301. French.

Denton BG, Shaw SE. Mouth conformer for prevention and correction of burn scar contracture. *Phys Therapy* 1976 56:683-686.

Ferguson-Pell M, Hagsawa S, Bain D. Evaluation of a sensor for low interface pressure applications. *Med Eng Phys.* 2000 22:657-663.

Hambleton J, et al The progress of hypertrophic scars monitored by ultrasound measurements of thickness. *Burns* 1992 Aug

Heath K Contact media approach to burn scar management. *Aust Fam Physician* 1995 Feb

Hurren JS. Rehabilitation of the burned patient: James Laing Memorial Essay for 1993. *Burns* 1995 21:116-126.

Kischer C W, Shetlar MR, Shetlar CL. Alteration of hypertrophic scars induced by mechanical pressure. *Arch Dermatol* 1975 111:60-64.

McLean NR, Warren E. A simple device to encourage the unwilling child to wear a pressure garment. *Br J Plast Surg.* 1983 36:529-530.

Newmeyer WL, Kilgore ES. Management of the burned hand. *Phys Ther* 1977 57:16-23.

Patiño, O., Novick, C., Merlo, A., Benaim, F. Massage in hypertrophic scars. *J Burn Care Rehab* 1999 20:268-271.

Perkins K, Davey RB, Wallis K. Current materials and techniques used in a burn scar management programme. *Burns Incl Therm Inj.* 1987 13:406-410.

Phillips TJ, Gerstein AD, Lordan V. A randomized controlled trial of hydrocolloid dressing in the treatment of hypertrophic scars and keloids. *Dermatol Surg* 1996 22:775-778.

Reiffel RS. Prevention of hypertrophic scars by long-term paper tape application. *Plast Reconstr Surg* 1995 96:1715-1718.

Richard RL, et al Comparison of the effect of passive exercise v static wrapping on finger range of motion in the burned hand. *J Burn Care Rehab* 1987 Nov-Dec

Staley M, et al Critical pathways to enhance the Rehabilitation of patients with burns. *J Burn Care Rehab* 1996 Nov-Dec

Staley M, et al Functional outcomes for the patient with burn injuries. *J Burn Care Rehab* 1996 Jul-Aug

Ward RS, et al A technique for control of hypertrophic scarring in the central region of the face. *J Burn Care Rehab* 1991 May-Jun

Ward RS, et al Evaluation of topical therapeutic ultrasound to improve response to physical therapy and lessen scar contracture after burn injury. *J Burn Care Rehab* 1994 Jan-Feb

Ward RS, et al Influence of pressure supports on joint range of motion. *Burns* 1992 Feb

Ward RS, et al Rehabilitation of burn patients with concomitant limb amputation: case reports. *Burns* 1990 Oct

Ward RS, et al Topical agents in burn and wound care. *Phys Ther* 1995 Jun

Ward RS, et al Use of positive plaster impressions to facilitate measurement of anti-burn scar support gloves for severely burned hands. *J Burn Care Rehab* 1989 Jul-Aug

Ward RS, Reddy R, Brockway C, Hayes-Lundy C, Mills P. Uses of Coban self-adherent wrap in management of postburn hand grafts: case reports. *J Burn Care Rehab* 1994 15:364-369.

Ward RS, Reddy R, Hayes-Lundy C, Brockway C, Saffle JR, Schnebly WA. A technique for control of hypertrophic scarring in the central region of the face. *J Burn Care Rehab* 1991 12:263-267.

Whitstone JJ, et al Fabrication of total-contact burn masks by use of human body topography and computer-aided design and manufacturing. *J Burn Care Rehab* 1995 Sep-Oct

Wood F, Liddiard K, Skinner A, Ballentyne J. Scar management of cultured epithelial autograft. *Burns* 1996 22:451-454.

## **Lymphedema**

Bennison J. Lymphedema: Patho-physiologic and clinical concepts. *Angiology* 1975 26:661-6764.

Bruster JM, Pullium G. Gradient pressure. *Am J Occup Ther* 1983 37:485-488.

Chen CY, Hoe AL, Wong CY. The effect of a pressure garment on post-surgical drainage and seroma formation in breast cancer patients. *Singapore Med J.* 1998 39:412-415.

Collins CD, Mortimer PS, D'Ettore H, A'Hern RPA, Moskovic EC. Computed tomography in the assessment of response to limb compression in unilateral lymphoedema. *Clin Radiol* 1995 50:541-544.

Mirolu BR, Bunce IH, Chapman M, Olsen T, Eliadis P, Hennessey JM, Ward LC, Jones LC. Psychosocial benefits of postmastectomy lymphedema therapy. *Cancer Nurs* 1995 18:197-205.

Mortimer PS. Therapy approaches for lymphedema. *Angiology* 1997 48:87-91.

## **Pediatric Burns**

Clarke AM. Burns in childhood. *World J Surg* 1978 2:175-183.

Schwanholt CA, et al A prospective study of burn scar maturation in pediatrics: does age matter? *J Burn Care Rehab* 1994 Sep-Oct

Staley M, et al Head/face/neck burns: therapist considerations for the pediatric patient. *J Burn Care Rehab* 1997 Mar-Apr

## **Pressure Garments for Burn Treatment**

Chang P, Laubenthal KN, Lewis RW 2nd, Rosenquist MD, Lindley-Smith P, Kealey GP. Prospective, randomized study of the efficacy of pressure garment therapy in patients with burns. *J Burn Care Rehab* 1995 16:473-475.

Cheng JCY, Evans JH, Leung KS, Clark JA, Choy TTC, Leung PC. Pressure therapy in the treatment of post-burn hypertrophic scar - A critical look into its usefulness and fallacies by pressure monitoring. *Burns* 1984 10:154-163.

Cheng W, Saing H, Zhou H, Han Y, Peh W, Tam PK. Ultrasound assessment of scald scars in Asian children receiving pressure garment therapy. *J Pediatr Surg.* 2001 36:466-469.

Fricke, N.B., Omnell, M.L., Dutcher, K.A., L.G. Hollender, Odont, L.H. Engrav. Skeletal and dental disturbances in children after facial burns and pressure garment use: a 4-year follow-up. *J Burn Care Rehab* 1999 20:239-249.

Gallagher JM, Kaplan S, Maguire GH, Leman CJ, Johnson P, Elbaum L. Compliance and durability in pressure garments. *J Burn Care Rehabil.* 1992 13:239-243.

Garcia-Velasco M., Ley R., Mutch D., Surkes N., Williams H.B. Compression treatment of hypertrophic scars in burned children. *Can J Surg* 1978 21:450-452.

Giele H, Liddiard K, Booth K, Wood F. Anatomical variations in pressures generated by pressure garments. *Plast Reconstr Surg.* 1998 101:399-406 discussion 407.

Giele HP, Liddiard K, Currie K, Wood FM. Direct measurement of cutaneous pressures generated by pressure garments. *Burns* 1997 23:137-141.

Groce, A., Herndon, D.N., McCauley, R.L., Chinkes, D., The effects of pressure versus no pressure garments in the control of hypertrophic scarring in children with small burn: a preliminary 6 month report. ABSTRACT. *J Burn Care Rehab* 21:S178.

Groce, A., McCauley, R.L., Meyers-Paal, R., Herndon, D.N., Chinkes, D. The effects of high versus low pressure garments in the control of hypertrophic scars in the burned child: a preliminary 6 month report. ABSTRACT. *J Burn Care Rehab* 21:S177.

Groce, A., McCauley, R.L., Serghiou, M., Chinkes, D., Herndon, D.N. The effects of high versus low pressure garments in the control of hypertrophic scar in the burned child: a final report. ABSTRACT. *J Burn Care Rehab* 22:S145.

Groce, A., Meyers-Paal, R., Herndon, D.N., McCauley, R.L. Are your thoughts of facial pressure transparent? *J Burn Care Rehab* 20:478-481.

Haq MA, Haq A. Pressure therapy in treatment of hypertrophic scar, burn contracture and keloid: the Kenyan experience. *East Afri Med J* 1990 67:785-793.

Harries CA, et al Measuring pressure under burns pressure garments using the Oxford Pressure Monitor. *Burns* 1989 15:187-189.

Hutchin KC. Pressure garments prevent heavy scarring. *Nurs J India*. 1985 76:257-258.

Johnson J, Greenspan B, Gorga D, Nagler W, Goodwin C. Compliance with pressure garment use in burn Rehabilitation. *J Burn Care Rehab* 1994 15:181-188.

Kealey GP, et al Prospective randomized comparison of two types of pressure therapy garments. *J Burn Care Rehab* 1990 11:334-336.

Linares HA, Larson DL, Willis-Galstaun. Historical notes on the use of pressure in the treatment of hypertrophic scars or keloids. *Burns* 1993 19:17-21.

Mann R, Yeong EK, Moore M, Colescott D, Engrav LH. Do custom-fitted pressure garments provide adequate pressure? *J Burn Care Rehabil*. 1997 18:247-249.

Mann R, Yeong EK, Moore ML, Engrav LH. A new tool to measure pressure under burn garments. *J Burn Care Rehab* 1997 18:160-163.

McLean NR, et al A simple device to encourage the unwilling child to wear a pressure garment. *Br J Plast Surg*, 1983 Oct

Moore, M.L., Engrav, L.H., Calderon, J., Lezotte, D., Ehde, D.M., Heimbach, D.M., Gibran, N.S. Effectiveness of custom pressure garments in wound management: a prospective trial within wounds and with verified pressure. ABSTRACT. *J Burn Care Rehab* 21:S177.

Ng CL, Lee ST, Wong KL. Pressure garments in the prevention and treatment of keloids. *Ann Acad Med Singapore*. 1983 12:430-435.

Palmieri, T.L., Kayden D., Greenhalgh, D. The effect of medical insurance coverage on the obtainment of pressure. *J Burn Care Rehab* 2000 21:414-41.

Rosser, P. Adherence to pressure garment therapy of post-traumatic burn injury. ABSTRACT. *J Burn Care Rehab* 21:S178.

Sawada Y Pressure developed under pressure garment. *Br J Plast Surg*, 1993 46:538-541.

Staley MJ, Richard RL. Use of pressure to treat hypertrophic burn scars. *Adv Wound Care* 1997 10:44-46.

Stewart R, Bhagwanjee AM, Mbakaza Y, Binase T. Pressure garment adherence in adult patients with burn injuries: an analysis of patient and clinician perceptions. *Am J Occup Ther.* 2000 54:598-606.

Tang, X.X. [Pressure garment for the prevention and correction of hypertrophic burn scars]. *Zhonghua Zheng Xing Shao Shang Wai Ke Za Zhi.* 1986 2:267-269. Chinese.

Thompson R, Summers S, Rampey-Dobbs R, Wheeler T. Color pressure garments versus traditional beige pressure garments: Perceptions from the public. *J Burn Care Rehab* 1992 13:590-596.

Torring S. Our routine in pressure treatment of hypertrophic scars. *Scand J Plast Reconstr Surg.* 1984 18:135-137.

Underwood RA. Pressure garments in the treatment of burns. *Proc Mine Med Off Assoc SA.* 1978 57:64.

van Straten O, Mahler D. Pressure garments in the control of hypertrophic scarring and rehabilitation of the burn patient: an occupational therapy approach. *Isr J Med Sci.* 1984 20:320-322.

Van Straten O, Sagi A, Mahler D. [Rehabilitation of burn patients using pressure garments]. *Harefuah.* 1985 15:477-479. Hebrew.

Veraart JCJM, Pronk G, Neumann HAM. Pressure differences of elastic compression stockings at the ankle region. *Dermatol Surg* 1997 23:935-939.

Vinckx L, et al Analysis of the pressure perturbation due to the introduction of a measuring probe under an elastic garment. *Med Biol Eng Comput* 1990 Mar

Ward RS Pressure therapy for the control of hypertrophic scar formation after burn injury. A history and review. *J Burn Care Rehab* 1991 May-Jun

Ward RS Reasons for the selection of burn-scar-support suppliers by burn centers in the United States: a survey. *J Burn Care Rehab* 1993 14:360-367.

Ward RS, Hayes-Lundy C, Reddy R, Brockway C, Mills P. Influence of pressure supports on joint range of motion. *Burns.* 1992 18:60-62.

Whitaker J, Lamberty BG. Pressure garments in the treatment of axillary burns contracture. *Physiotherapy.* 1981 67:5-7.

Williams F, Knapp D, Wallen M. Comparison of the characteristics and features of pressure garments used in the management of burn scars. *Burns.* 1998 24:329-335.

### **Pressure Garments for Cosmetic Plastic Surgery**

Agris J A pressure support garment for suction-assisted lipectomy [letter]. *Plast Reconstr Surg* 1984 Apr

Schlesinger SL, Kaczynski AJ. Use of Reston foam in liposuction. *Aesthetic Plast Surg.* 1993 17:49-51.

### **Pressure Garments for Vascular Support**

Finnie A. Interface pressure measurements in leg ulcer management. *Br J Nurs.* 2000 9:S8-10, S12, S14 passim. Review.

Gandhi DB, Palmar JR, Lewis B, Schraibman IG. Clinical comparison of elastic supports for venous diseases of the lower limb. *Postgrad Med J* 1984 60:349-352.

Schraibman IG, et al Clinical comparison of elastic supports for venous diseases of the lower limb and thrombosis prevention. *Phlebologie,* 1982 Jan-Mar

Sheps SG Use of an elastic garment in the treatment of orthostatic hypotension. *Cardiology* 1976

### **Silicone**

Ahn ST, Monafu WW, Mustoe TA. Topical silicone gel: A new treatment for hypertrophic scars. *Surgery* 1989 10:781-787.

Beranek JT. Silicone gel sheeting for the management of hypertrophic and keloid scars: the mechanism of its action. *Dermatol Surg* 1997 23:401-405.